

Tune-Based Halo Diagnostics

Peter Cameron
Brookhaven National Lab

Kinds of Tune-based Tools



- Tools to **Diagnose** Halo-forming conditions
 Tools to **Avoid** Halo formation
- Tools to **Diagnose** existing Halo
 - can we see Halo with tune measurements?
 - what are the signatures?
- Tools to Remove Halo
 - Gap cleaning
 - Halo cooling
 - ??? Montauk May 03

'Applicable' Mechanisms



Tune related halo formation mechanisms

- Mismatch
- Resonances
- e-cloud effects
- Instabilities
- Beam-beam
- Tune modulation




Mismatch - IPM






Original detector head, before improved image current screening, extended sweep field, moving of components beyond physical aperture

Data from this head, showing turn-by-turn profiles, injection betatron oscillations and quadrupole oscillations




Mismatch - IPM






Dipole spectrum - FFT of 128 turns of fitted beam position.
Data shows vertical tune of 0.32 and horizontal tune of 0.13.

Quadrupole spectrum - FFT of 128 turns of rms beam width. Betatron frequency = 0.32, so quadrupole frequency = 0.64, which appears at the aliased frequency of 0.36




Mismatch - Quadrupole Monitor





Jansson et al - BIW02 Loops couple to radial magnetic field

Injection oscillations - comparison of SEM and QMM data




Resonant Quadrupole Monitor





Montauk May 03




General Tuning Scheme

Above - schematic of quadrupole mode resonated BPM

At left - dipole mode transmission-line resonated stripline BPM

Resonant Quadrupole Monitor






Instability at injection - revolution, betatron, and quadrupole lines

Montauk May 03


Measured Q ~ 60 at 108MHz (but large orbit offset, 70 degree striplines)



'Applicable' Mechanisms



- Mismatch
- Resonances
- e-cloud effects
- Instabilities
- Beam-beam
- Tune modulation




Resonances



What drives beam onto Resonances?


- Tune
- Space Charge
- Chromaticity (tune spread)
- Non-linearities
- Coupling
- ???

Islands



What about Emittance Growth?






PLL amplitude and phase, and beam loss rate [%/hr]

Kicker power ~20mW (at store lock is good with 20μw)


Kicked and PLL tune measurement

SNS Ring Tune Footprints - blue dot is coherent tune






Footprints for 3 intensities $(0.1, 1, \text{ and } 2x10^{14})$ at cycle end



Footprints after 263, 526, and 1060 turns, 10¹⁴ beam

Beam Transfer Function





Resonances




What drives beam into Resonances?

- Tune
- Space Charge
- Chromaticity (tune spread)
- Non-linearities
- Coupling
- ???

Islands

Chromaticity






Chromaticity thru an 8hr store from Schottky


Montauk May 03

Chromaticity from kicked and PLL tunes



Fit Dependence of Chromaticity







HALO'03

_ | | | | | | |

Non-linear chromaticity – two methods





Radial modulation - .5Hz, .4mm



Nonlinearity Correction

- F. Pilat PAC2003
- Purpose improve dynamic aperture
- IR Triplet quads are main source of nonlinearity
- Method measure tune while ramping a bump in the triplet, adjust correctors






Resonances




What drives beam into Resonances?

- Tune
- Space Charge
- Chromaticity (tune spread)
- Non-linearities
- Coupling
- ???

Islands



Duplicate Close



Resonances



What drives beam into Resonances?

- Tune
- Space Charge
- Chromaticity (tune spread)
- Non-linearities
- Coupling
- ???

Islands

Digression to Islands




27

- •Island tune is precise narrowband measurement
- •Amplitude is large power goes as square
- •Power spectral density $S/N \sim N^2 x^2/\delta f$ (coherent)
 - •Inside separatrix N~10¹¹, x ~0.5mm, δ f ~1KHz
 - •Fraction excited by PLL ~ a few percent
 - •In island N~10?, x ~5mm, δ f ~10Hz
- •Down 40dB, island N~10⁷ (coherent)
- •Experience PLL locks on islands in RHIC

'Typical' PLL FFT






Island at 2/9 in RHIC?



Kickers off

Position dependence of 40 excitation frequency? SNAP Error Or resonance

compensation?



'Applicable' Mechanisms




- Mismatch
- Resonances
- e-cloud effects
- Instabilities
- Beam-beam
- Tune modulation




e-cloud coherent tune shift



W. Fischer et al





'Applicable' Mechanisms




- Mismatch
- Resonances
- e-cloud effects
- Instabilities
- Beam-beam
- Tune modulation



Schottky Coherence






'Applicable' Mechanisms



- Mismatch
- Resonances
- e-cloud effects
- Instabilities
- Beam-beam
- Tune modulation





'Applicable' Mechanisms




- Mismatch
- Resonances
- e-cloud effects
- Instabilities
- Beam-beam
- Tune modulation




'Typical' PLL FFT





Zoom on 11Hz Line





10.5Hz

-90dBv

-175dBv

38

11.5Hz


Kinds of Tune-based Tools



- Tools to **Diagnose** Halo-forming conditions
 Tools to **Avoid** Halo formation
- Tools to **Diagnose** existing Halo
- Tools to Remove Halo
 - Gap cleaning
 - Halo cooling
 - ???

HALO'03

Emittance and deltap/p thru 16hr store



Conclusions



- A variety of tune-based tools exist to **Diagnose** and help **Avoid** Halo-forming conditions
- Tune-based tools to **Diagnose** existing Halo are difficult, but possibilities exist
- We are looking for ideas

Montauk May 03 41